

Empack Spraytech Inc. 98 Walker Drive Brampton, Ontario, L6T 4H6 Canada 905-792-6571

PRODUCT: Panita Hand Sanitizer Ethanol 73% - 1 L **CODE: 11981**

SECTION 01: IDENTIFICATION

Panita Hand Sanitizer Ethanol 73% - 1 L Product Identity.....

Product Item Numbers..... 11981

Hazard(s) not otherwise classified (HNOC)

Empack Spraytech Inc. 98 Walker Drive Manufacturer.....

Brampton Ontario Canada

L6T 4H6 905-792-6571

In Canada: Call CANUTEC (613) 996-6666 - In The United States: Call CHEMTREC (800) 24 hour emergency telephone number.....

424-9300.

Recommended Use..... Hand sanitizer.

SECTION 02: HAZARD IDENTIFICATION





Label Elements: Signal Word..... DANGER. Hazard Classification: Physical Hazards..... Flammable Liquids - Category 2. Eye Irritation - Category 2B. Specific Target Organ Toxicity, Single Exposure - Category 3. Health Hazards..... Environmental Hazards..... Not Classified. Hazard Statement..... H225:Highly flammable liquid and vapour. H320:Causes eye irritation. H335:May cause respiratory irritation. Precautionary Statements: P210:Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Prevention..... No smoking. P280:Wear eye protection/face protection. P233:Keep container tightly closed. P240:Ground and bond container and receiving equipment. P242:Use non-sparking tools. P243:Take action to prevent static discharges. P241:Use explosion-proof electrical/ventilating/lighting . P261:Avoid breathing dust/fume/gas/mist/vapours/spray. P271:Use only outdoors or in a well-ventilated area. P303+P361+P353:IF ON SKIN (or hair): Take off immediately all contaminated clothing. Response..... Rinse skin with water . P370+P378:In case of fire: Use CO2, dry chemicals or foam to extinguish. P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313:If eye irritation persists: Get medical advice/attention. P304+P340:IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312:Call a POISON CENTER if you feel unwell. P403+P235:Store in a well ventilated place. Keep cool. P233:Keep container tightly Storage..... closed. P405: Store locked up. P501:Dispose of contents/container in accordance with local, regional, national, and/or Disposal..... international regulations.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS					
CHEMICAL NAME AND SYNONYMS	CAS#	WT. %			
Ethyl alcohol Triethanolamine	64-17-5 102-71-6	60-80 0.1-1			

SECTION 04: FIRST-AID MEASURES

The product is not expected to be skin irritant. However, if irritation persists, wash the Skin Contact..... contact skin area with soap and water.

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the Eye Contact..... upper and lower eyelids. Get medical attention if irritation persists.



For external use only. Not expected to cause skin irritation. Discontinue use if rash,

redness or itching occurs. KEEP OUT OF REACH OF CHILDREN.

PRODUCT: Panita Hand Sanitizer Ethanol 73% - 1 L

SECTION 04: FIRST-AID MEASURES

Ingestion is not a likely route of exposure. Do not induce vomiting, observe carefully, do not Ingestion..... give liquid to person showing signs of sleepiness, reduced awareness or becoming unconscious. Give water to rinse out mouth. If irritation persists, Get medical attention. No specific effects have been reported. Move the person to fresh air. Supply fresh air if any Inhalation..... irritations persists.

Most important symptoms/effects, acute .. and delayed

Indication of immediate medical attention and special treatment needed

Direct eye contact may cause temporary eye irritation.

Provide general supportive measures and treat symptomatically. In case of shortness of breath give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

CODE: 11981

SECTION 05: FIRE-FIGHTING MEASURES

General Fire Hazards..... Use as directed. Flammable.

Suitable Extinguishing Media..... Dry chemical powder. Carbon dioxide. Foam, water spray or fog.

Unsuitable Extinguishing Media..... None in particular. Specific Hazards Arising from the Chemical None known.

Special Protective Equipment and

Precautions for Firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with water to prevent vapor pressure build up. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Remove undamaged containers from immediate hazard area if it is safe to do.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Remove all sources of ignition. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery **Equipment and Emergency Procedures** conditions. Use personal protective equipment.

Methods and Materials for Containment .. and Cleaning Up

Environmental Precautions.....

Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. Wash with plenty of water. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

SECTION 07: HANDLING AND STORAGE

Precautions for Safe Handling..... Avoid contact with eyes. Avoid breathing vapours or spray mists of this product. Use with

Conditions for Safe Storage including any Incompatibilities

adequate ventilation. Keep away from heat, sparks, and open flames. Store in a cool, dry, well-ventilated area away from incompatible substances. Do not store in direct sunlight.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	CGIH TLV STEL	OSH <i>A</i> PEL	A PEL STEL	NIOSH REL
Ethyl alcohol	1000 ppm	1000 ppm	1000 ppm	Not available	1000 ppm
Triethanolamine	5 mg/m3	Not established	Not established	Not established	Not established
Appropriate Engineering Controls		Local exhaust ventilation required to maintain the point of use below the Threshold Limit Value if unprotected personnel are involved. Prevent eye contact, wear safety glasses in the event that eye contact is possible. Not normally required. Not required on a short-term basis or if exhaust ventilation is provided. Use approved NIOSH respirators for emergencies. None Known. When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment prior to use.			

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Liquid. Physical State..... Physical Appearance..... Clear/Transparent. Odour..... Mild alcohol . Odour Threshold (ppm)..... Not available. pH..... 6.0 - 7.5Aerosol Vapour Pressure (psig, 21°C)..... Not applicable. Vapour Pressure (psig)..... Not available. Evaporation Rate (n-Butyl Acetate = 1)..... Not available.



PRODUCT: Panita Hand Sanitizer Ethanol 73% - 1 L

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point (°C)......Melting/Freezing Point (°C)..... 78.3. (Ethanol).

-115. Approximately. (Ethanol).

VOC Content.....Relative Density/Specific Gravity..... No data. 0.860 - 0.900. Solubility in water.....

Soluble in water. 370. Approximately. (Ethanol).

13. Tag Closed Cup. (ASTM D-56). (Ethanol). 3.3. (Ethanol).

Auto Ignition Temperature (liquid), °C..... Flash Point (°C), Method..... Lower Explosive Limit (%, vol)..... Upper Explosive Limit (%, vol)..... 19.0. (Ethanól).

Viscosity..... 1.35 cp @ 20°C. Approximately. (Ethanol).

SECTION 10: STABILITY AND REACTIVITY

Product not reactive under normal conditions of use.

Chemical Stability..... Stable at normal temperatures and pressures.

Possibility of Hazardous Reactions..... Will not occur.

Conditions to Avoid..... Avoid sources of heat and flame, and electrostatic charge.

Incompatible Materials..... Avoid contacting with oxidizers. Hazardous Decomposition Products...... Normal products of combustion.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS LC50 LD50

31,623 ppm (Rat - 4 hrs) 7,060 mg/kg (Oral - Rat); Ethyl alcohol

20,000 mg/kg (Dermal - Rabbit)

CODE: 11981

6,400 mg/kg (Oral - Rat); Triethanolamine Not available >2,000 mg/kg (Dermal - Rabbit)

Information on Likely Routes of Exposure:

Yes. Yes. Routes of entry - Ingestion..... Routes of entry - Skin Absorption..... Yes.

Symptoms Related to the Physical, Irritant effects.

Chemical and Toxicological Characteristics Acute Toxicity.....

No known significant effects. Skin Corrosion/Irritation..... Based on available data, the classification criteria are not met.

Direct contact with eyes causes temporary irritation. Serious Eye Damage/Eye Irritation......

Not expected to be a skin or respiratory sensitizers.

No information is available, and no adverse effects are expected. Respiratory or Skin Sensitization......Germ Cell Mutagenicity..... Carcinogenicity..... Not classified as carcinogenic by ACGIH, IARC, OSHA or NTP.

Reproductive Toxicity..... Based on available data, the classification criteria are not met.

STOT - Single Exposure..... Specific target organ toxicity single exposure Category 3. May cause respiratory irritation. Not classified.

STOT - Repeated Exposure......Aspiration Hazard....

Based on available data, the classification criteria are not met.

No long term chronic effects are known or anticipated. Chronic Effects.....

SECTION 12: ECOLOGICAL INFORMATION

This product contains the following ingredients:. Ethyl alcohol (CAS#: 64-17-5): Toxicity to Ecotoxicity.....

fish: LC50 14200 mg/L, 96 hrs; Toxicity to other aquatic invertebrates: 9300 mg/L, 48 hrs;

Toxicity to algae: not available.

Persistence and degradability The product itself has not been tested. Bioaccumulation Potential..... The product itself has not been tested. Mobility in Soil..... The product itself has not been tested.

Other Adverse Effects..... None Known

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods..... Dispose in accordance with local, provincial and federal regulations.

SECTION 14: TRANSPORT INFORMATION

TDG (Canada- Road)	UN1170, ETHANOL SOLUTION with more than 24% ethanol, by volume, Class 3, PG II.
DOT (US-Road)	UN1170, ETHANOL SOLUTION with more than 24% ethanol, by volume, Class 3, PG II.
IMDG (International- Marine)	UN1170, ETHANOL SOLUTION with more than 24% ethanol, by volume, Class 3, PG II.
IATA (International- Air)	UN1170, ETHANOL SOLUTION with more than 24% ethanol, by volume, Class 3, PG II.



PRODUCT: Panita Hand Sanitizer Ethanol 73% - 1 L

SECTION 15: REGULATORY INFORMATION

SECTION 16: OTHER INFORMATION

Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA: Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act 1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHMIS: Workplace Hazardous Materials Information System STOT: Specific Target Organ Toxicity.

CODE: 11981

Regulatory Affairs