



# Swish Silver Supreme

Disinfectant, Bactericide, Fungicide and Virucide

## Features & Benefits

**General Disinfection:** For general disinfection and control of the bacteria *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Listeria monocytogenes*, Vancomycin Resistant *Enterococcus faecium* (VRE), Methicillin Resistant *Staphylococcus aureus* (MRSA) and *Escherichia coli* 0157:H7, the pre-cleaned surface must be completely wet with Swish Silver Supreme for 10 minutes. The surface may then be wiped dry with a clean towel. When used as directed, Swish Silver Supreme provides protection from *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella choleraesuis* up to 24 hours after initial application.

**Fungus Control:** For effective control of the fungus *Trichophyton mentagrophytes*, the pre-cleaned surface must be completely wet with Swish Silver Supreme for 10 minutes. The surface may then be wiped dry with a clean towel. Re-apply when cleaning or when new growth appears.

**\*Viral Control:** To kill Herpes Simplex Type 1 F (1) Strain Influenza A Virus, Hong Kong strain, Rhinovirus R37 Strain 151-1, Polio Virus Type 2 Lansing Strain the pre-cleaned surface must be completely wet with Swish Silver Supreme for 10 minutes. The surface may then be wiped dry with a clean towel.

## Kill Claims

Swish Silver Supreme successfully killed the following organisms under AOAC:

| Organism  |   |
|---|---|
| <i>Pseudomonas aeruginosa</i>   | <i>Campylobacter jejuni</i>   |
| <i>Staphylococcus aureus</i>  | <i>Acinetobacter baumannii</i>  |
| <i>Salmonella choleraesuis</i>  | <i>Escherichia coli</i> 0157:H7   |
| Vancomycin resistant <i>Enterococcus faecium</i>                                | Methicillin resistant <i>Staphylococcus aureus</i>  |
| Community Associated Methicillin Resistant <i>Staphylococcus aureus</i> CA-MRSA | Community Associated Methicillin Resistant <i>Staphylococcus aureus</i> CA-MRSA, PVL Positive |
| <i>Trichophyton mentagrophytes</i> (Athlete's Foot Fungus)                      | Herpes Simplex Type 1 VR-733 F(1) Strain  |
| Influenza A VR-544, Hong Kong strain  | Rotavirus   |
| Rhinovirus R37 VR-1147, Strain 151-1  | Human Coronavirus   |
| Avian Influenza A (H3N2) (Avian Reassortant)                                    | Feline Calicivirus (surrogate virus for Norovirus)  |
| Polio Type 2, VR-1002, Lansing Strain   |   |



## Usage Instructions

APPLICATION INSTRUCTIONS: Pre-clean surfaces prior to using this product

### DIRECTIONS FOR USE:

Swish Silver Supreme is a colorless, odorless broad spectrum antimicrobial disinfectant and deodorizer. Proven to kill bacteria, fungus and viruses\*, Swish Silver Supreme should be used on non-porous environmental hard surfaces in homes, hospitals, nursing homes, medical and dental clinics, laboratories, ambulance and patient transfer vehicles, funeral homes, hotels, restaurants, schools, daycare, beauty and barber shops, trucks, trailers, shipping containers, rail cars, subways, trains, airplanes, ships, busses and other public transportation vehicles, locker rooms, kitchens and restrooms. Swish Silver Supreme has been formulated to disinfect hard, non-porous environmental surfaces (painted, glazed tile, plastic, metal, glass, glazed porcelain) tubs, showers, door knobs, lights switch covers, telephones, appliances, stove tops, bed frames, wheel chairs, over-bed tables, examination tables and waste containers, tables, and chairs. This product can be used in homes, schools, nurseries, daycare centers, playrooms, playground and/or recreational facilities, washrooms, kitchens, restrooms and/or bathrooms, schoolbuses. Use to disinfect the following hard, non-porous surfaces: children's toys, toy box(s), diaper pail(s), diaper changing table(s), bathroom and/or kitchen counter(s), desk(s), play table(s), computer keyboard, telephone, doorknob(s), jungle gym(s), playhouse(s), child car seat, stroller(s), crib(s), playpen(s), activity center(s), tanning beds. A rinse with Potable water is required for surfaces in direct contact with food and with children at the mouthing stage of development.

## Caution

### PRECAUTIONS:

CAUTION: MAY IRRITATE EYES. SLIGHTLY IRRITATING TO SKIN. KEEP OUT OF REACH OF CHILDREN. Do not get in eyes. Avoid contamination of food. Wash thoroughly with soap and water after handling.

FIRST AID: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control



center or doctor for further treatment advice. Take container, label or product name and Registration Number with you when seeking medical attention.

**STORAGE & DISPOSAL:** Do not contaminate water, food, or feed by storage and disposal. Store in a dry place no lower in temperature than 10°C or higher than 30°C. Protect from light. Rinse the emptied container thoroughly. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Manufacturer or Provincial/Territorial or Local/Municipal Authorities.

### **Product Code & Size**

#4016-1                      946 ml x 6 / case