

SAFETY DATA SHEET**SECTION 1 - IDENTIFICATION**

Product identifier used on the label: Facto HD41

Other means of Identification: 5841

Recommended use of the chemical and restrictions on use: For professional use only.

Manufacturer/Supplier:

Swish Maintenance Limited

Address:

2060 Fisher Dr.

Peterborough, On K9J 6X6

Telephone: 705-745-5763

Fax: 705-745-0220

24 Hr. Emergency Tel. #: Infotrac 1-800-535-5053 (North America), 011-1-352-323-3500 (International)

SECTION 2 - HAZARDS IDENTIFICATION

Classification of the chemical:

Skin Corrosion/Irritation 1

Eye Damage/Irritation 1

Label elements:

Signal Word: Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

Precautionary statement(s)

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P264 Wash exposed areas thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+361+353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.
Rinse skin with water/shower

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable
for breathing

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
lenses if present and easy to do – continue rinsing

P310 Immediately call a poison center or doctor/physician

P321 Specific treatment (see section 4 of SDS)

P363 Wash contaminated clothing before reuse

P405 Store locked up

Hazard pictogram(s)

Other hazards not otherwise classified: None Known

Unknown Acute Toxicity: 0%

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name, Common Name & Synonyms:	CAS #	Concentration %
Sodium Metasilicate	6834-92-0	5-10
2-Butoxyethanol	111-76-2	3-7
Sodium Xylenesulfonate	1300-72-7	1-5
Tetrasodium EDTA	13235-36-4	1-5
Alcohols, C9-11, ethoxylated (C9-11 PARETH-3)	68439-46-3	1-5
N,N-Dimethyl-1-lauryl amine-N-oxide	1643-20-5	1-5
Isopropyl Alcohol	67-63-0	1-5

**** If the chemical name/CAS # is "proprietary" and/or the weight % is shown as a range, this information had been withheld as a trade secret.**

SECTION 4 - FIRST-AID MEASURES**Description of first aid measures:**

If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs, get medical advice/attention.

If inhaled: Remove the person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor/physician.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor/physician.

Most Important symptoms and effects, both acute and delayed: Causes severe skin burns and eye damage

Indication of any immediate medical attention and special treatment needed: Treat symptomatically

SECTION 5 - FIRE-FIGHTING MEASURES

Extinguishing media:

Suitable extinguishing media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: Not determined

Special hazards arising from the substance or mixture: None known

Flammability classification: Not flammable

Hazardous combustion products: Carbon oxides, oxides of phosphorus and other unidentified organic compounds.

Special protective equipment and precautions for firefighters:

Protective equipment for fire-fighters: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

Special fire-fighting procedures: Move containers from the fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from firefighting to enter drains or water courses. Dike for water control.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Keep people away from, and upwind of spill/leak. Restrict access to the area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

Methods and material for containment and cleaning up: Do not allow material to contaminate groundwater systems. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply. Ventilate the area. Prevent further leakage or spillage if safe to do so. Soak up with inert absorbent material. Do not use combustible absorbents, such as sawdust. Pick up and transfer to properly labeled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities.

Special spill response procedures: If a spill/release in the US in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling: Handle in accordance with good industrial hygiene and safety practice. Use protective equipment recommended in section 8. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling.

Conditions for safe storage: Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. Keep out of reach of children.

Incompatible materials: Oxidizing agents. Do not mix with other chemicals, cleaners or acids

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits:

		ACGIH		OSHA PEL	
Chemical Name	CAS #	TWA	STEL	PEL	STEL
Sodium Metasilicate	6834-92-0				
2-Butoxyethanol	111-76-2				
Sodium Xylenesulfonate	1300-72-7				
Tetrasodium EDTA	13235-36-4				
Alcohols, C9-11, ethoxylated (C9-11 PARETH-3)	68439-46-3				
N,N-Dimethyl-1-lauryl amine-N-oxide	1643-20-5				
Isopropyl Alcohol	67-63-0				

Exposure controls:

Ventilation and engineering measures: Use only in well-ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.

Respiratory protection: If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134). Advice should be sought from respiratory protection specialists.

Skin protection: Wear protective gloves. Where extensive exposure to product is possible, use resistant coveralls, aprons and boots to prevent contact. The suitability for a specific workplace should be discussed with the producers of the protective regimes.

Eye face protection: Wear eye/face protection. Wear as appropriate tightly fitting safety goggles; Safety glasses with side-shields.

Other protective equipment: Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

General hygiene considerations: Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear Green Liquid

Odor: Butyl

Odor threshold: No applicable information available

pH: Minimum 13.00

Melting/Freezing point: No applicable information available

Initial boiling point and boiling range: No applicable information available

Flash point: No applicable information available

Flashpoint (Method): No applicable information available

Evaporation rate (BuAe = 1): Similar to water

Flammability (solid, gas): Not flammable

Lower flammable limit (% by vol.): Not Flammable

Upper flammable limit (% by vol.): Not Flammable

Vapor pressure: No applicable information available

Vapor density: No applicable information available

Relative density: ~1.065

Solubility in water: Soluble

Other solubility(ies): No applicable information available

Partition coefficient: No applicable information available

Auto ignition temperature: No applicable information available

Decomposition temperature: No applicable information available

Viscosity: No applicable information available

Volatile organic Compounds (%VOC's): None

Other physical/chemical comments: No applicable information available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: Not normally reactive

Chemical stability: Stable

Possibility of hazardous reactions: No hazardous polymerization

Conditions to avoid: Keep out of reach of children. Do not use it in areas without adequate ventilation. Avoid contact with incompatible materials.

Incompatible materials: Fluorine, strong oxidizing or reducing agents, bases, sulfur trioxide, phosphorus pentoxide and acids

Hazardous decomposition products: None known. Refer to 'Hazardous Combustion Products' in Section 5

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry - inhalation: Avoid breathing vapors or mists

Routes of entry - skin & eye: Avoid contact with skin or eyes

Routes of entry - Ingestion: Do not taste or swallow

Potential Health Effects:

Signs and symptoms of short term (acute) exposure:

Symptoms: Please see section 4 of this SDS sheet for symptoms.

Potential Chronic Health Effects:

Mutagenicity: Not expected to be mutagenic in humans.

Carcinogenicity: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects: No applicable information available

Sensitization to material: No applicable information available

Specific target organ effects: No data available to indicate product or components will have specific target organ effects.

Medical conditions aggravated by overexposure: Pre-existing skin or eye disorders.

Toxicological data:

See the following table for individual ingredient acute toxicity data.

Chemical name	CAS #	LD ₅₀	LD ₅₀	LC ₅₀
		(Oral, rat)	(Dermal. Rabbit)	(4hr, Inhal., rat)
Sodium Metasilicate	6834-92-0	1153 mg/kg		
2-Butoxyethanol	111-76-2	560 mg/kg		
Sodium Xylenesulfonate	1300-72-7	7200 mg/kg		
Tetrasodium EDTA	13235-36-4	4500 m/kg		
Alcohols, C9-11, ethoxylated (C9-11 PARETH-3)	68439-46-3	>2000 mg/kg		
N,N-Dimethyl-1-lauryl amine-N-oxide	1643-20-5	1064 mg/kg		
Isopropyl Alcohol	67-63-0	5045 mg/kg	12,800 mg/kg	

*All empty cells no applicable information available

Other important toxicological hazards: None reported.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: No applicable information available

Persistence and degradability: No applicable information available

Bioaccumulation potential: No applicable information available.

Mobility in soil: No applicable information available.

Other Adverse Environmental effects: No applicable information available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Handling for disposal: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. Empty containers retain residue (liquid and/or vapour) and can be dangerous.

Methods of disposal: Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.

RCRA: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste UN defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14 - TRANSPORTATION INFORMATION

Special Shipping Information: Keep from freezing.

T.D.G. Classification: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium Metasilicate), Class 8, PG III

Special Provisions: 16

Explosive Limit and Limited Quantity Index: 5L

ERAP Index: None

SECTION 15 - REGULATORY INFORMATION

TSCA information: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

SECTION 16 - OTHER INFORMATION

Legend:

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Services

CFR: Code of Federal Regulations

EPA: Environmental Protection Agency

IARC: International Agency for Research on Cancer

LC: Lethal Concentration

LD: Lethal Dose

NIOSH: National Institute of Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

DISCLAIMER

Information for this safety data sheet was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of this supplier, it is assumed that users of this material have been fully trained according to the mandatory requirements of GHS. No warranty, expressed or implied, is made and the supplier will not be liable for any losses, injuries or consequential damages which may result from the use of, or reliance on, any information contained within this form.

END OF DOCUMENT