

NT 40/1 Tact Te L CUL

Compact and easy to transport: the NT 40/1 Tact Te wet and dry vacuum cleaner with Tact filter cleaning system and 40-litre bumpered container for long, uninterrupted operation.

1 Suction hose connection in the machine head

- The suction hose port in the machine head enables a larger usable container capacity.
- Easy emptying of the container by connecting the hose and machine head.

2 Storage rack and fixing options

- Tool boxes can be placed on the flat machine head without slipping thanks to its rubberised surfaces.
- Transport eyelets facilitate secure fixing with conventional anchoring straps.

3 Optional push handle

- The optional push handle can be mounted quickly and easily for convenient transport to the location of use.

4 Moisture-resistant PES flat pleated filter

- The PES flat pleated filter for dust class M reliably holds back 99.9% of all particles.
- Whether for wet or dry application: it is not necessary to change the PES filter.



NT 40/1 Tact Te L CUL

- PES flat pleated filter
- Antistatic preparation
- Optional push handle

Technical data

| | | |
|-------------------------------|-------------------|-----------------|
| Order no. | 1.148-316.0 | |
| EAN code | 886622021711 | |
| Air flow rate | l/s | 71 |
| Vacuum | mbar / kPa | 242 / 24.2 |
| Container capacity | l | 40 |
| Max. rated input power | W | 1380 |
| Standard nominal width | | ID 35 |
| Sound pressure level | dB(A) | 68 |
| Container material | | plastic |
| Number of motors | | 1 |
| Frequency | Hz | 60 |
| Voltage | V | 120 |
| Weight | kg | 14.4 |
| Dimensions (L x W x H) | mm | 560 x 370 x 655 |

Equipment

| | | | | |
|--|-----------|-----------------------------|-----------------------------|---|
| Suction hose | m | 4 | Sturdy bumper | ■ |
| Filter bag | | fleece | Safety class | I |
| Wet and dry floor nozzle | mm | 360 | Steering roller stop | ■ |
| Crevice nozzle | | ■ | | |
| Power tool connection adaptor | | ■ | | |
| Automatic switch-off at max. filling quantity | | ■ | | |
| Automatic on/off switch for power tools | | ■ | | |
| Antistatic preparation | | ■ | | |
| Flat pleated filter | | PES | | |
| Bend | | ■ | | |
| Filter cleaning | | Tact filter cleaning system | | |

■ Included in the scope of supply.

NT 40/1 TACT TE L CUL

1.148-316.0

KÄRCHER



| | | Order no. | Quantity | ID | Length | Width | Price | Description | |
|---|----|-------------|-------------|-------|--------|--------|-------|---|---|
| Flat pleated filter, PES | | | | | | | | | |
| Flat pleated filter, PES | 1 | 6.904-360.0 | 1 piece(s) | | | | | Flat pleated filter (PES) - BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS. | ■ |
| HEPA, dust class H filter | | | | | | | | | |
| HEPA flat pleated filter | 2 | 6.904-242.0 | 1 piece(s) | | | | | HEPA surface filter - dust class H (HEPA 13) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust. | □ |
| Plastic sacks for dust-free disposal | | | | | | | | | |
| Plastic bag for dust-free disposal | 3 | 2.889-158.0 | 10 piece(s) | | | | | PE plastic sack for dust-free disposal. | ■ |
| Fleece filter bags (three-ply) | | | | | | | | | |
| Fleece filter bags | 4 | 2.889-155.0 | 5 piece(s) | | | | | Fleece filter bag with 40-50 litre volume. Tear-resistant, dust class M, for suction hose port in machine head. | ■ |
| Bend, plastic | | | | | | | | | |
| Bend Adv | 5 | 2.889-170.0 | 1 piece(s) | ID 35 | | | | Ergonomic bend for the new clip system. | ■ |
| Bend | 6 | 2.889-148.0 | 1 piece(s) | ID 35 | | | | Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design. | □ |
| Bend Adv, electrically conductive | 7 | 2.889-168.0 | 1 piece(s) | ID 35 | | | | Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust. | □ |
| DN 40 bend | 8 | 2.889-171.0 | 1 piece(s) | ID 40 | | | | Bend for the new clip system in nominal size DN 40. | □ |
| Elektricky vodivé koleno, DN 40 | 9 | 2.889-172.0 | 1 piece(s) | ID 40 | | | | Ohyb pro nový klipový systém o velikosti DN 40. Elektricky vodivý design. Speciálně vhodný pro vysoké koncentrace jemného prachu | □ |
| Floor nozzles | | | | | | | | | |
| Wet and dry floor nozzle Adv | 10 | 2.889-152.0 | 1 piece(s) | ID 35 | | 360 mm | | 360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees. | ■ |
| Wet and dry floor nozzle | 11 | 6.906-512.0 | 1 piece(s) | ID 35 | | 300 mm | | All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners. | □ |
| Multi-purpose nozzle, wet/dry | 12 | 6.906-384.0 | 1 piece(s) | ID 35 | | 370 mm | | All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners. | □ |
| Wet and dry floor nozzle | 13 | 2.889-118.0 | 1 piece(s) | ID 35 | | 400 mm | | Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. Squeegee and brush are quick and easy to change. | □ |
| Wet and dry floor nozzle Adv | 14 | 2.889-153.0 | 1 piece(s) | ID 40 | | 360 mm | | 360 mm wide wet and dry floor nozzle with easy-to-change inserts, squeegees. | □ |
| Wet/Dry floor nozzle standard | 15 | 2.889-173.0 | 1 piece(s) | ID 35 | | 300 mm | | 300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees. | □ |
| Podlahová hubice, antracit DN40 | 16 | 2.889-174.0 | | | | | | Standardní podlahová hubice, antracit, s průměrem 40, s kartáčovými lištami a sčerkami. Vhodné pro všechny mokré i suché aplikace. | □ |
| Crevice nozzles | | | | | | | | | |
| Crevice nozzle NT Tact DN 35 | 17 | 2.889-159.0 | 1 piece(s) | ID 35 | 225 mm | | | Crevice nozzle ID 35, for new Tact range. | ■ |
| Crevice nozzle NT Tact DN 40 | 18 | 2.889-160.0 | 1 piece(s) | ID 40 | 225 mm | | | Crevice nozzle ID 40, for new Tact range. | □ |
| Suction tubes, stainless steel | | | | | | | | | |
| Suction tube set | 19 | 2.889-175.0 | 1 piece(s) | ID 35 | 505 mm | | | Stainless steel suction tube set, NW 35, 2-part, each 0.55 millimetres. | ■ |

■ Included in the scope of supply. □ Available accessories.

NT 40/1 TACT TE L CUL

1.148-316.0

KÄRCHER



| | | Order no. | Quantity | ID | Length | Width | Price | Description | |
|---|----|-------------|------------|-------|--------|-------|-------|---|---|
| Set suction tube stainless steel NW35 55 | 20 | 2.889-192.0 | 1 piece(s) | ID 35 | 550 mm | | | Stainless steel suction tube set (2 × 0.55 m) | ■ |
| Set suction tube stainless steel NW40 55 | 21 | 2.889-194.0 | 1 piece(s) | ID 40 | 550 mm | | | | □ |
| Complete suction hoses (clip system) | | | | | | | | | |
| Suction hose | 22 | 2.889-135.0 | 1 piece(s) | ID 35 | 4 m | | | 4 m suction hose with new bayonet and clip fastener. | ■ |
| | 23 | 2.889-133.0 | 1 piece(s) | ID 35 | 2.5 m | | | 2.5 m suction hose with new clip fastener, C 35. | □ |
| | 24 | 2.889-134.0 | 1 piece(s) | ID 35 | 2.5 m | | | 2.5 m suction hose with new bayonet and clip fastener. | □ |
| Electrically conductive suction hose | 25 | 2.889-136.0 | 1 piece(s) | ID 35 | 2.5 m | | | Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m. | □ |
| | 26 | 2.889-137.0 | 1 piece(s) | ID 35 | 4 m | | | 4 m suction hose with new bayonet and clip fastener. Electrically conductive. | □ |
| Suction hose DN 40, length 4 m | 27 | 2.889-138.0 | 1 piece(s) | ID 40 | 4 m | | | 4 m suction hose with new bayonet and clip fastener. | □ |
| Suction hose | 28 | 2.889-139.0 | 1 piece(s) | ID 40 | 2.5 m | | | Suction hose with new bayonet and clip fastener. Length: 2.5 m. | □ |
| Suction hose, oil-resistant | 29 | 2.889-140.0 | 1 piece(s) | ID 40 | 4 m | | | Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m. | □ |
| Electrically conductive suction hose | 30 | 2.889-141.0 | 1 piece(s) | ID 40 | 4 m | | | 4 m, electrically conductive suction hose with new bayonet and clip fastener. | □ |
| | 31 | 2.889-142.0 | 1 piece(s) | ID 40 | 2.5 m | | | Suction hose, electrically conductive, with new bayonet and clip fastener. 2.5 m long. | □ |
| Suction hose | 32 | 2.889-161.0 | 1 piece(s) | ID 35 | 2 m | | | Flexible, robust and durable suction hose with new clip fastening. Ideal for our dry vacuum cleaners. 2 m long. Nominal width: DN 35. | □ |
| Connection adapter for power tools, clip-on, electrically conductive | | | | | | | | | |
| Tool collar DN 35, clip-on | 33 | 2.889-151.0 | 1 piece(s) | ID 35 | | | | Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools. | ■ |
| Flat pleated filter, paper | | | | | | | | | |
| Dry flat pleated filter | 34 | 6.904-367.0 | 1 piece(s) | | | | | Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M. | □ |
| Flat pleated filter, PTFE | | | | | | | | | |
| Ultimate flat pleated filter | 35 | 6.907-455.0 | 1 piece(s) | | | | | Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L. | □ |
| Coarse dirt filter for wet vacuuming | | | | | | | | | |
| Coarse dirt filter | 36 | 6.904-287.0 | 1 piece(s) | | | | | Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models. | □ |
| Fabric filter | | | | | | | | | |
| Membrane filter for the new Tact and Ap range | 37 | 2.889-281.0 | | | | | | Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused. | □ |
| Wood cartridge filter | 38 | 2.414-000.0 | | | | | | Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L. | □ |
| All-purpose brushes | | | | | | | | | |
| All-purpose brush | 39 | 6.900-425.0 | 1 piece(s) | ID 35 | 120 mm | | | All-purpose brush PPN_Bristle | □ |

■ Included in the scope of supply. □ Available accessories.

NT 40/1 TACT TE L CUL

1.148-316.0

KÄRCHER



| | | Order no. | Quantity | ID | Length | Width | Price | Description | | |
|---|----|-------------|------------|-------|--------|--------|-------|--|--------------------------|--|
| Car cleaning nozzles | | | | | | | | | | |
| Car nozzle | 40 | 6.906-108.0 | 1 piece(s) | ID 35 | | 90 mm | | Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners. | <input type="checkbox"/> | |
| Combi-nozzles, dry | | | | | | | | | | |
| Combi-nozzle, dry | 41 | 6.906-511.0 | 1 piece(s) | ID 35 | | 270 mm | | Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection. | <input type="checkbox"/> | |
| Suction brushes | | | | | | | | | | |
| Suction brush | 42 | 6.903-862.0 | 1 piece(s) | ID 35 | | 70 mm | | Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners. | <input type="checkbox"/> | |
| Suction tubes, metal | | | | | | | | | | |
| Suction tube set, chrome-plated, NW 35 550 mm | 43 | 2.889-191.0 | 1 piece(s) | ID 35 | 550 mm | | | Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres. | <input type="checkbox"/> | |
| Repair kits | | | | | | | | | | |
| Repair kit ID 35 | 44 | 2.889-149.0 | 1 piece(s) | ID 35 | | | | Repair kit ID 35 for the new clip system. | <input type="checkbox"/> | |
| Repair kit ID 40 | 45 | 2.889-150.0 | 1 piece(s) | ID 40 | | | | Repair kit ID 40 for the new clip system. | <input type="checkbox"/> | |
| Suction hoses (clip system) | | | | | | | | | | |
| Suction hose | 46 | 6.906-321.0 | 1 piece(s) | 40 | 4 m | | | 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter. | <input type="checkbox"/> | |
| | 47 | 2.889-163.0 | 1 piece(s) | ID 35 | 2.5 m | | | Electroconductive suction hose, NW 35. Length: 2.5 metres. | <input type="checkbox"/> | |
| Extension hoses (clip system) | | | | | | | | | | |
| Extension hose | 48 | 2.889-145.0 | 1 piece(s) | ID 35 | 2.5 m | | | Extension hose for new clip system ID 35. Length: 2.5 m. | <input type="checkbox"/> | |
| | 49 | 2.889-146.0 | 1 piece(s) | ID 40 | 2.5 m | | | Extension hose for new clip system ID 40. Length: 2.5 m. | <input type="checkbox"/> | |
| Other | | | | | | | | | | |
| Push handle for NT 40/1 Tact Te L | 50 | 2.643-868.0 | 1 piece(s) | | | | | Ergonomic push handle for NT 40/1 Tact Te L. | <input type="checkbox"/> | |
| Drilling dust nozzle | 51 | 2.679-000.0 | 1 piece(s) | | | | | Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher. | <input type="checkbox"/> | |
| Adapter for electric power tools, screwable | | | | | | | | | | |
| Adapter for electric power tools, screwable, ID 35 | 52 | 5.453-016.0 | 1 piece(s) | ID 35 | | | | 3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose. | <input type="checkbox"/> | |
| Target-group-specific accessory kits for vacuum cleaners | | | | | | | | | | |
| Universal trade and industrial set | 53 | 2.637-595.0 | | ID 35 | | | | Accessory kit for trade and industry. | <input type="checkbox"/> | |
| Heating boiler cleaning kit | 54 | 2.638-852.0 | | ID 35 | | | | Accessory kit for vacuuming and cleaning boilers, oil stoves, etc. | <input type="checkbox"/> | |
| Car cleaning accessory kit | 55 | 2.862-166.0 | | ID 35 | | | | Target group-specific accessory nozzles in DN 35 for interior cleaning of vehicles, upholstery & fixtures. | <input type="checkbox"/> | |

■ Included in the scope of supply. □ Available accessories.