### SAFETY DATA SHEET

# **GM Klinger** 63314





#### IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

Use of Preparation: Bowl Cleaner Company Identification: Swish Maintenance Ltd. 2060 Fisher Dr. PO Box 3000 Peterborough, ON

K9J 8N4

Company Emergency Telephone Number(s):

Emergency Phone: 1-855-467-9474

**Transportation Emergency Telephone Number(s):** CANUTEC 613-996-6666 or \* 666 for cell phone



#### HAZARD IDENTIFICATION

**GHS Hazards:** Corrosive to Metals Category 1 H290

> Skin corrosion/irritation Category 1A H314 Acute toxicity, inhalation Category 4 H332

STOT, single exposure; Respiratory tract irritation Category 3 H335

#### **Hazard Pictograms:**





## GHS Label Elements, Including Precautionary Statement

Signal Word: **DANGER** 

Hazard

Statements: May be corrosive to metals.. Causes severe skin burns and eye damage.. Harmful if inhaled.. May cause respiratory

irritation..

**Precautionary** 

Statements: Keep only in original container. Do not breathe fume/gas/mist/vapours/spray. Wash thoroughly after handling. Use only

outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.



Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse SKIN with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse. Absorb spillage to prevent

material damage.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store in a closed container. Store locked up.

**Disposal:** Dispose of contents/container according to Local Provincial and Federal regulations



# COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Description: Chemical Blend

Ingredient Name	CAS#	Classification	% by Wt	
Hydrochloric Acid	7647-01-0	Corrosive to Metals Category 1 H290 Skin corrosion/irritation Category 1A H314 Serious eye damage/eye irritation Category 1 H318 Acute toxicity,inhalation Category 4 H332 STOT, single exposure; Respiratory tract irritation Category 3 H335	7-13	
Alcohols, C12-15, Ethoxylated	68131-39-5	Skin corrosion/irritation Category 2 H315 Serious eye damage/eye irritation Category 1 H318	1-5	



#### FIRST AID MEASURES

**Inhalation:** Remove victim to fresh air. If symptoms persist, call a physician

Eye Contact: IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Consult a doctor

immediately.

Skin Contact: Thoroughly wash exposed skin with soap and water. Remove any contaminated clothing and wash before

reuse. If irritation persists seek medical attention

Ingestion: Immediately call physician. DO NOT induce vomiting. Give several glasses of water. Never give anything by

mouth if victim is unconscious or convulsing.

**Most Important** 

**Symptoms and Effects:** Severe burns to eyes, skin and respiratory tract.

**Notes to Physician:** Treatment based on judgment of attending physician.



## FIRE FIGHTING MEASURES

Suitable extinguishing media: Use dry chemical, CO2, water spray (fog) or foam.

Unsuitable extinguishing media: not known



Special exposure hazards: This product causes burns of eyes, skin and mucous membranes. Thermal decomposition may

lead to release of irritating and toxic vapors. In the event of fire and/or explosion do not breathe

fumes.

Special safety equipment: Self contained breathing apparatus and full protective clothing required for extinguishing fire.

Fire and explosion: None

Further information: None



# ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation,

ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel

only. Refer to protective measures listed in Sections 7 and 8

#### For Non-Emergency Personnel

Protective Equipment: Wear adequate personal protective equipment

**Emergency Procedures:** Wear adequate personal protective equipment

#### For Emergency Personnel

Protective Equipment: Wear adequate personal protective equipment

Emergency Procedures: Wear adequate personal protective equipment

**Environmental Precautions:** Prevent release to the environment if possible. Dike large spills to prevent material from entering

streams or sewer systems.

## Methods and Material for Containment and Cleaning Up

For Containment: Soak up inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed

containers for disposal

Methods for Cleaning Up: Contain spillage and then collect with noncombustible absorbent material(e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulation. Flush away traces with water. For large spills, dike spilled material or otherwise contain

material to ensure runoff does not reach a waterway.

Reference to Other Sections: None



#### HANDLING AND STORAGE

Precautions for safe handling: Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Avoid splashes or spray in

enclosed areas. Ensure good ventilation/exhaustion at the workplace.

Information about fire and

explosion protection: none



Requirements to be met by storerooms and receptacles:

Keep container closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep away from incompatible materials such as alkalis, reducing and oxidizing agents, bleach and ammonia. Do not mix with any other chemicals

Information about storage in

one common storage facility: unknown

**Further information about** 

storage conditions: none

Specific end use: not applicable



# **EXPOSURE CONTROLS / PERSONAL PROTECTION**

Respiratory protection: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a

NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limit are exceeded or if irritation

or other symptoms are experienced.

Wear coveralls with long sleeves, gauntlets and gloves of PVC or neoprene. Vinyl disposable gloves, nitrile or Hand protection:

natural rubber gloves can also be used.

Eye protection: Use chemical goggles and/or a full face shield.

Skin protection: Wear protective clothing, including boots or safety shoes with polyvinyl chloride (PVC) or neoprene. Wear

coveralls with long sleeves, gauntlets and gloves of PVC or neoprene.

Working hygiene: Handle in accordance with good industrial hygiene and safety practices.

**Exposure Guidelines:** A system of local and/or general exhaust is recommended to keep employee exposures as low as possible.

> Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, Industrial

Ventilation, A Manual of Recommended Practices, most recent edition, for details.

**Hydrochloric Acid** no data available

TWA ppm:

TWA mg\_m<sup>3</sup>:

STEL ppm:

STEL mg m<sup>3</sup>:

no data available



# PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** 

Appearance: Opaque, Lime Green Molecular Weight: No Data Available

Odour: Fruity

**Odour Threshold:** No Data Available

<1 pH:

**Melting Point:** No Data Available

**Boiling Point:** >=212 F

Flash Point: No Data Available **Evaporation Rate (BuAc=1):** No Data Available Flammable Limits in Air: No Data Available **Upper Flammability Limit:** No Data Available **Lower Flammability Limit:** No Data Available



Vapour Density (Air=1): >1

Vapour Pressure: No Data Available

Specific Gravity: 1.04-1.06
Solubility in Water: Complete

Log Pow (calculated): No Data Available **Autoignition Temperature:** No Data Available **Decomposition Temperature:** No Data Available Viscosity: No Data Available Solubility in other Solvents: No Data Available **Partition Coefficient:** No Data Available n-octanol / Water: No Data Available **Kinematic Viscosity:** No Data Available **Dynamic Viscosity:** No Data Available **Explosive Properties:** No Data Available **Percent Volatile by Volume:** No Data Available



# STABILITY AND REACTIVITY

Reactivity: Normally stable.

Chemical stability: Stable under recommended storage conditions

Thermal decomposition

conditions to avoid: not known

Possibility of hazardous

reactions: Will not occur

Conditions to avoid: Unintentional contact with water and moisture. Keep containers tightly closed, when not in use.

**Hazardous decomposition** 

**products:** CO or CO2. Toxic chlorine fumes

Materials to avoid: Strong oxidizers, Ammonia, Chlorine, strong alkali materials, Aluminum

Hazardous polymerization: none



# **TOXICOLOGICAL INFORMATION**

## Information on toxicological effects

Acute toxicity: No data available

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms: No data available

Sensitization: No data available

Mutagenic Effects: No data available

Carcinogenicity: None of the ingredients are listed by IARC, ACGIH, NTP and OSHA as carcinogen

Reproductive Toxicity: No data available



STOT single exposure: Classified as specific target organ toxicant, single exposure, Category 3 with respiratory tract irritation

STOT repeated exposure: not known

Chronic Toxicity: May damage organs

Target Organ Effects: Respiratory Tract

**Aspiration hazard:** No data available LD/LC50 values relevant for classification: None

**Listed Ingredients:** 

Alcohols, C12-15, Ethoxylated	LD 50 (dermal) >2000mg/kg rabbit LD 50 (oral) >3200 mg/kg rat
Hydrochloric Acid	LD50 (oral) 700 mg/kg Rat LD50 (dermal) 5010 mg/kg Rabbit LC50 (inhalation) 3124 ppm (1-hour Rat)

# ECOLOGICAL INFORMATION

**Toxicity:** This material is expected to be toxic to aquatic life. / LC50 862 mg/L (Orfe, golden

(Leuciscus Idus))

Persistence and Degradability: When released into the soil, this material is not expected to be biodegradable

Bioaccumulative Potential: No Data Available

Mobility in Soil: No Data Available

Other Information: No Data Available

Aquatic Toxicity: No Data Available

Toxicity to algae, fish, invertebrates: No Data Available

Biodegradation: No Data Available

# DISPOSAL

Waste Disposal Recommendations: Follow local, provincial, state and federal regulations.

Ecology – Waste Materials: no data available

**Empty Containers:** Triple rinse and dispose according to provincial, state and federal regulations



# 14

# TRANSPORTATION INFORMATION

Department	Proper Shipping Name	Contains	Hazard Class	UN#	Packing Group
Canadian TDG (Road & Rail)	Corrosive Liquids, N.O.S.	Hydrochloric Acid Solution	8 1760	0	II

**Please note:** This shipping description is of a general nature only. It does not consider package sizes, modes of transport and other specific circumstances. Appropriate regulations should be referenced, and handling for transportation of dangerous goods/hazardous materials should be performed by trained personnel only.

# 5 REGULATION

OSHA/WHMIS 2015 Classification: Corrosive to Metals and Eyes.

California PROP 65: no ingredients listed

Cdn Domestic Substance List (DSL): All Ingredients Listed

#### **HMIS III Rating**

Health: 3
Flammability: 0
Physical: 1
Personal Protection: H



# OTHER INFORMATION

#### Prepared for:

Swish Maintenance Ltd. 2060 Fisher Dr. PO Box 3000 Peterborough, ON K9J 8N4 705-745-5763

Issuing Date Version# Reason for Revision

Mar 3, 2016 1

#### Disclaimer:

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



